

Table 1C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Page: 1
Run Date: 4 / 14 / 11

Total Records	Number
Individual Children	132,729
Total Records (All Visits)	229,974

Source of Data	Number	%
WIC	132,729	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	132,729	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	59,666	45.0
Black, Not Hispanic	24,218	18.2
Hispanic	33,281	25.1
American Indian/Alaska Native	2,106	1.6
Asian/Pacific Islander	6,175	4.7
Multiple Races	7,280	5.5
All Other	0	0.0
Total	132,726	100.0
<i>Excluded Unknown:</i> 3 * %		

Age Distribution (4)	Number	%
0 - 5 Months	31,375	23.6
6 - 11 Months	13,453	10.1
12 - 23 Months	27,068	20.4
24 - 35 Months	22,303	16.8
3 - 4 Years	38,530	29.0
Total	132,729	100.0

% of Poverty Level	Number	%
0-50	29,659	22.5
51-100	23,255	17.6
101-130	11,369	8.6
131-150	6,281	4.8
151-185	8,250	6.3
186-200	9	*
Over 200	0	0.0
Adjunctive Eligibility	53,088	40.2
Total	131,911	100.0
<i>Excluded Unknown:</i> 818 0.6 %		

Program Participation	Number	%
WIC	132,729	100.0
SNAP	130,855	60.8
Medicaid	131,825	44.5
TANF	131,828	1.9
<i>Excluded Unknown:</i>		
WIC	0	0.0
SNAP	1,874	1.4
Medicaid	904	0.7
TANF	901	0.7

Migrant Status	Number	%
Yes	139	0.1
No	132,590	99.9
Total	132,729	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Health Indicators
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 4 / 14 / 11

Summary of Health Indicators ⁽³⁾					
			Wisconsin Prevalence		National Prevalence (Prior Year)
			Number	%	Number %
Birthweight (4)					
Low	< 2500 g		30,092	8.6	1,961,342 8.9
High	> 4000 g		30,092	7.0	1,961,342 6.4
Height and Weight					
Short Stature (5)	< 5th		130,168	5.5	8,451,215 6.0
	< 10th		130,168	10.3	8,451,215 10.8
Underweight (6)	< 5th		130,168	3.1	8,451,215 4.3
	< 10th		130,168	5.8	8,451,215 7.5
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th		130,168	13.0	8,451,215 14.0
	85th - < 95th		59,975	16.6	3,678,355 16.4
	≥ 95th		59,975	14.1	3,678,355 14.7
Anemia (7)					
Low Hb			96,412	10.0	5,201,886 15.1
Low Hct			0	*	538,293 11.6
Low Hb/Hct			96,621	10.0	5,524,196 14.9
Breastfeeding (8)					
Ever Breastfed			30,160	68.5	1,769,160 61.7
Breastfed At Least 6 Months			13,715	26.4	911,779 27.0
Breastfed At Least 12 Months			19,576	12.4	1,092,573 18.5
Smoking in Household					
≤ 2 Hours TV Viewing/ Day (9)			132,096	6.9	4,355,723 10.2
			64,411	83.0	1,022,933 77.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 3C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 4 / 14 / 11

Summary of Breastfeeding Indicators ⁽³⁾				
	Wisconsin Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	30,160	68.5	1,769,160	61.7
Breastfed 1+ Weeks	26,198	67.7	1,499,573	58.7
Breastfed 2+ Weeks	19,876	72.1	1,164,141	56.4
Breastfed 3+ Weeks	16,443	72.7	947,758	53.6
Breastfed 4+ Weeks	14,585	70.3	826,300	50.9
Breastfed 6+ Weeks	11,850	64.2	704,088	44.6
Breastfed 2+ Months	10,444	57.1	665,172	39.2
Breastfed 3+ Months	10,474	47.0	714,931	34.5
Breastfed 4+ Months	11,128	38.6	806,269	31.0
Breastfed 5+ Months	12,197	31.4	904,357	28.2
Breastfed 6+ Months	13,715	26.4	911,779	27.0
Breastfed 9+ Months	18,619	16.4	1,050,661	21.8
Breastfed 12+ Months	19,576	12.4	1,092,573	18.5
Breastfed 18+ Months	15,248	7.6	862,440	10.1
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	10,446	19.5	317,037	9.9
Exclusively Breastfed at Least 6 Months	13,681	8.8	420,655	5.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 4
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Wisconsin	132,729	45.0	18.2	25.1	1.6	4.7	5.5	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wisconsin	132,729	33.8	20.4	45.8
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 6
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)													
Contributor	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)		
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Over- weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-	% <95th	% ≥95th	Number	%
Wisconsin	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1		96,621	10.0
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7		5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and \geq 95th percentile category identifies obese children..

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 7
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)								
	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)	Smoking in Household
Contributor	Number	% Ever Breastfed	Number % Breastfed At Least 6 Months	Number % Breastfed At Least 12 Months	Number % Breastfed At Least 3 Months	Number % Breastfed At Least 6 Months	Number %	Number %
Wisconsin	30,160	68.5	13,715 26.4	19,576 12.4	10,446 19.5	13,681 8.8	64,411 83.0	132,096 6.9
Nation (Prior Year)	1,769,160	61.7	911,779 27.0	1,092,573 18.5	317,037 9.9	420,655 5.3	1,022,933 77.3	4,355,723 10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 4 / 14 / 11

Growth and Anemia Indicators by Race/Ethnicity or Age ⁽³⁾												
	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
		Low %	High %		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
Race/Ethnicity												
White, Not Hispanic	14,111	7.7	8.2	58,625	5.3	3.4	11.5	25,869	16.3	12.1	42,487	7.0
Black, Not Hispanic	5,838	13.2	3.4	23,677	6.3	3.8	11.6	10,615	15.3	11.1	17,229	19.8
Hispanic	6,700	6.5	7.7	32,651	4.6	2.2	15.5	16,230	17.6	17.6	25,410	8.4
American Indian/Alaska Native	440	5.0	13.9	2,032	4.3	2.4	23.0	1,029	21.3	27.1	1,542	8.8
Asian/Pacific Islander	1,318	8.2	2.5	6,056	10.4	3.0	14.6	2,930	17.2	17.0	4,694	9.1
Multiple Races	1,685	9.2	7.4	7,126	5.1	3.0	14.3	3,301	16.9	15.4	5,257	11.0
All Other	0	*	*	1	*	*	*	1	*	*	2	*
Total	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1	96,621	10.0
Age												
0 - 11 Months	-	-	-	43,024	8.2	4.3	9.8	-	*	*	6,704	15.5
12 - 23 Months	-	-	-	27,169	5.4	2.1	15.7	-	*	*	32,245	13.5
24 - 35 Months	-	-	-	22,056	3.9	2.9	12.7	22,056	15.9	12.7	22,717	9.4
36 - 47 Months	-	-	-	19,466	3.7	2.8	14.0	19,466	16.5	14.0	19,936	6.6
48 - 59 Months	-	-	-	18,453	3.3	2.6	15.7	18,453	17.6	15.7	15,019	5.7
Total	-	-	-	130,168	5.5	3.1	13.0	59,975	16.6	14.1	96,621	10.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 9
Run Date: 4 / 14 / 11

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	14,122	71.3	6,377	28.9	8,677	12.9	27,711	86.1	59,413	7.3
Black, Not Hispanic	5,867	53.2	2,387	12.9	3,654	4.9	11,330	76.9	24,079	11.6
Hispanic	6,725	81.1	3,387	34.9	4,977	19.1	17,622	83.3	33,109	3.0
American Indian/Alaska Native	439	62.9	194	21.1	285	8.4	1,051	84.2	2,089	8.4
Asian/Pacific Islander	1,317	50.0	610	13.8	924	7.5	3,175	76.2	6,158	1.9
Multiple Races	1,690	64.1	760	20.5	1,059	7.3	3,522	83.5	7,247	9.6
All Other	0	*	0	*	0	*	0	*	1	*
Total	30,160	68.5	13,715	26.4	19,576	12.4	64,411	83.0	132,096	6.9
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	44,298	5.4
12 - 23 Months	-	-	-	-	-	-	0	*	27,027	7.1
24 - 35 Months	-	-	-	-	-	-	26,006	85.4	22,272	7.6
36 - 47 Months	-	-	-	-	-	-	19,721	81.1	19,661	8.0
48 - 59 Months	-	-	-	-	-	-	18,684	81.8	18,838	8.1
Total	30,160	68.5	13,715	26.4	19,576	12.4	64,411	83.0	132,096	6.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Page: 10
Run Date: 4 / 14 / 11

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2010	132,729	45.0	18.2	25.1	1.6	4.7	5.5	0.0
2009	136,057	45.4	18.2	25.0	1.6	4.4	5.3	0.0
2008	129,648	45.1	18.5	24.9	1.7	4.4	5.2	0.0
2007	122,799	45.2	18.6	24.7	1.9	4.4	5.1	0.0
2006	121,673	45.1	18.6	24.2	2.0	4.5	5.1	0.5
2005	115,967	49.6	20.3	20.7	2.4	4.7	1.0	1.3
2004	116,740	52.2	21.5	19.2	2.5	4.6	0.0	0.0
2003	112,855	52.8	22.0	18.3	2.5	4.4	0.0	0.0
2002	110,533	53.1	22.3	17.5	2.5	4.6	0.0	0.0
2001	108,998	53.1	23.1	16.4	2.5	4.9	0.0	0.0
2000	106,063	53.7	23.7	14.8	2.5	5.3	0.0	0.0
1999	104,221	54.4	24.5	13.0	2.5	5.7	0.0	0.0
1998	111,982	55.0	24.8	11.6	2.5	6.0	0.0	0.0
1997	116,090	55.2	25.2	10.7	2.6	6.4	0.0	0.0
1996	117,936	54.9	25.6	10.2	2.5	6.8	0.0	0.0
1995	119,022	54.6	26.4	9.5	2.4	7.2	0.0	0.0
1994	119,132	55.4	26.5	8.4	2.4	7.3	0.0	0.0
1993	272	46.7	33.1	14.0	1.1	5.1	0.0	0.0
1992	0	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Page: 11
Run Date: 4 / 14 / 11

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1991	0	*	*	*	*	*	*	*
1990	0	*	*	*	*	*	*	*
1989	0	*	*	*	*	*	*	*
1988	0	*	*	*	*	*	*	*
1987	0	*	*	*	*	*	*	*
1986	0	*	*	*	*	*	*	*
1985	0	*	*	*	*	*	*	*
1984	0	*	*	*	*	*	*	*
1983	0	*	*	*	*	*	*	*
1982	115	69.6	22.6	0.0	2.6	5.2	0.0	0.0
1981	14,903	62.4	16.8	6.9	10.4	3.3	0.0	0.0
1980	31,119	68.5	13.8	6.6	8.7	2.4	0.0	0.1
1979	22,015	64.0	17.8	7.0	9.4	1.5	0.0	0.3
1978	377	97.9	0.3	0.3	0.3	0.5	0.0	0.8
1977	9	*	*	*	*	*	*	*
1976	5	*	*	*	*	*	*	*
1975	3	*	*	*	*	*	*	*
1974	1	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Page: 12
Run Date: 4 / 14 / 11

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2010	132,729	33.8	20.4	45.8
2009	136,057	34.2	20.8	45.0
2008	129,648	35.0	21.2	43.8
2007	122,799	36.3	21.1	42.6
2006	121,673	36.7	19.9	43.3
2005	115,967	31.6	23.2	45.2
2004	116,740	31.5	23.1	45.4
2003	112,855	31.8	22.7	45.5
2002	110,533	31.6	23.0	45.4
2001	108,998	32.2	23.0	44.8
2000	106,063	31.5	23.3	45.2
1999	104,221	30.2	23.1	46.7
1998	111,982	30.2	22.4	47.4
1997	116,090	29.1	22.1	48.8
1996	117,936	28.4	22.4	49.2
1995	119,022	28.7	22.2	49.1
1994	119,132	33.2	19.6	47.2
1993	272	86.8	6.3	7.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Page: 13
Run Date: 4 / 14 / 11

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1992	0	*	*	*
1991	0	*	*	*
1990	0	*	*	*
1989	0	*	*	*
1988	0	*	*	*
1987	0	*	*	*
1986	0	*	*	*
1985	0	*	*	*
1984	0	*	*	*
1983	0	*	*	*
1982	115	79.1	5.2	15.7
1981	14,903	43.5	26.9	29.5
1980	31,119	34.4	21.6	44.0
1979	22,015	29.7	21.6	48.7
1978	377	1.9	2.1	96.0
1977	9	*	*	*
1976	5	*	*	*
1975	3	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Page: 14
Run Date: 4 / 14 / 11

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1974	1	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 15
Run Date: 4/14/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2010	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1	96,621	10.0
2009	31,974	8.6	7.7	133,389	5.6	3.2	13.2	60,280	16.8	13.7	97,832	11.1
2008	31,940	8.5	7.6	126,769	5.5	3.5	13.3	55,875	16.3	13.6	91,619	11.0
2007	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
2006	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
2005	28,451	8.6	8.1	112,753	5.5	4.5	12.3	51,410	16.0	13.0	77,037	12.2
2004	29,547	8.7	8.3	113,275	5.4	4.3	12.4	51,825	16.3	13.3	78,255	13.2
2003	28,471	8.3	8.5	109,384	5.2	4.4	12.2	50,284	15.9	13.0	75,448	12.2
2002	27,201	8.5	8.7	106,429	5.5	4.3	11.8	48,993	15.0	11.8	74,420	12.7
2001	27,782	8.4	8.9	104,796	5.6	4.6	11.4	47,741	14.6	11.4	71,952	13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 16
Run Date: 4/14/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2000	27,000	8.5	8.9	102,004	5.5	4.5	11.2	46,744	15.1	11.5	70,955	13.6
1999	25,565	8.8	9.0	100,387	5.4	4.4	10.5	47,584	14.6	10.1	69,517	13.5
1998	27,014	8.6	9.1	109,030	5.6	4.5	10.2	52,186	14.4	10.1	77,025	13.3
1997	26,681	8.5	9.2	113,120	5.6	4.3	10.2	55,828	14.7	10.1	82,877	13.1
1996	26,542	8.3	9.4	114,905	5.8	4.6	9.6	57,370	14.6	9.7	85,637	14.0
1995	26,268	8.4	9.2	116,002	6.3	4.8	9.4	57,724	13.9	9.3	87,361	16.2
1994	26,120	8.8	9.4	116,138	6.5	4.9	9.4	55,382	13.8	8.9	88,300	17.2
1993	231	10.0	8.2	253	1.2	11.9	5.5	19	*	*	45	*
1992	0	*	*	0	*	*	*	0	*	*	0	*
1991	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 17
Run Date: 4/14/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1990	0	*	*	0	*	*	*	0	*	*	0	*
1989	0	*	*	0	*	*	*	0	*	*	0	*
1988	0	*	*	0	*	*	*	0	*	*	0	*
1987	0	*	*	0	*	*	*	0	*	*	0	*
1986	0	*	*	0	*	*	*	0	*	*	0	*
1985	0	*	*	0	*	*	*	0	*	*	0	*
1984	0	*	*	0	*	*	*	0	*	*	0	*
1983	0	*	*	0	*	*	*	0	*	*	0	*
1982	69	*	*	101	5.9	10.9	4.0	17	*	*	33	*
1981	3,137	7.8	11.9	12,712	7.5	4.9	9.7	4,276	14.0	7.6	10,575	10.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 18
Run Date: 4/14/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1980	6,007	7.7	11.8	27,903	6.5	5.0	9.0	13,338	13.4	7.6	23,768	8.3
1979	4,252	8.5	10.8	19,769	6.2	4.8	10.1	10,382	13.3	8.4	16,871	9.0
1978	2	*	*	366	3.6	4.1	8.5	354	17.5	8.5	29	*
1977	2	*	*	0	*	*	*	0	*	*	5	*
1976	4	*	*	0	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 19
Run Date: 4/14/2011

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2010	30,160	68.5	13,715	26.4	19,576	12.4
2009	32,038	66.9	14,185	27.5	20,374	13.2
2008	31,985	64.6	13,963	27.1	19,862	12.3
2007	31,171	63.2	13,616	26.6	18,952	12.3
2006	31,071	62.6	12,726	26.0	17,467	13.2
2005	28,610	59.9	10,409	24.2	17,417	16.4
2004	27,213	59.3	11,238	25.0	17,605	16.1
2003	28,288	58.2	10,556	23.8	16,675	14.8
2002	27,000	55.0	10,711	22.6	16,754	14.9
2001	27,630	53.4	10,314	22.5	16,396	14.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 20
Run Date: 4/14/2011

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2000	26,838	51.0	9,868	22.1	16,194	14.6
1999	25,360	49.9	9,857	20.0	15,919	10.9
1998	26,682	50.4	10,148	17.9	16,018	7.9
1997	26,338	48.7	10,663	17.3	16,548	9.8
1996	25,997	48.7	10,693	17.4	16,640	10.4
1995	25,753	47.0	10,973	18.6	16,161	12.2
1994	25,798	44.8	13,675	14.0	14,031	8.4
1993	226	42.0	14	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C
2010 Pediatric Nutrition Surveillance
Wisconsin
Children Aged < 5 Years

Page: 21
Run Date: 4 / 14 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2010 Pediatric Nutrition Surveillance
Wisconsin
Children Aged < 5 Years

Page: 22
Run Date: 4 / 14 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 23
Run Date: 4/14/2011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th % ≥95th
White, Not Hispanic								
0 - 11 Months	20,488	8.0	20,488	4.5	20,488	9.0	0	0.0
12 - 23 Months	12,268	4.9	12,268	2.4	12,268	14.4	0	0.0
24 - 59 Months	25,869	3.4	25,869	3.0	25,869	12.1	25,869	16.3
Total	58,625	5.3	58,625	3.4	58,625	11.5	25,869	16.3
Black, Not Hispanic								
0 - 11 Months	8,152	10.9	8,152	4.7	8,152	10.1	0	0.0
12 - 23 Months	4,910	5.9	4,910	2.6	4,910	15.0	0	0.0
24 - 59 Months	10,615	2.9	10,615	3.6	10,615	11.1	10,615	15.3
Total	23,677	6.3	23,677	3.8	23,677	11.6	10,615	15.3
Hispanic								
0 - 11 Months	9,642	6.7	9,642	3.3	9,642	10.8	0	0.0
12 - 23 Months	6,779	4.7	6,779	1.6	6,779	17.2	0	0.0
24 - 59 Months	16,230	3.3	16,230	1.9	16,230	17.6	16,230	17.6
Total	32,651	4.6	32,651	2.2	32,651	15.5	16,230	17.6
American Indian/Alaska Native								
0 - 11 Months	598	5.9	598	6.0	598	13.2	0	0.0
12 - 23 Months	405	4.0	405	0.2	405	27.2	0	0.0
24 - 59 Months	1,029	3.5	1,029	1.2	1,029	27.1	1,029	21.3
Total	2,032	4.3	2,032	2.4	2,032	23.0	1,029	21.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 24
Run Date: 4/14/2011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander								
0 - 11 Months	1,783	7.9	1,783	4.7	1,783	10.2	0	0.0 0.0
12 - 23 Months	1,343	12.7	1,343	2.0	1,343	15.2	0	0.0 0.0
24 - 59 Months	2,930	10.8	2,930	2.4	2,930	17.0	2,930	17.2 17.0
Total	6,056	10.4	6,056	3.0	6,056	14.6	2,930	17.2 17.0
Multiple Races								
0 - 11 Months	2,361	8.3	2,361	4.4	2,361	10.0	0	0.0 0.0
12 - 23 Months	1,464	4.6	1,464	1.7	1,464	19.0	0	0.0 0.0
24 - 59 Months	3,301	3.0	3,301	2.7	3,301	15.4	3,301	16.9 15.4
Total	7,126	5.1	7,126	3.0	7,126	14.3	3,301	16.9 15.4
All Other/Unknown								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	1	*	1	*	1	*	1	* *
Total All Race/Ethnic Groups								
0 - 11 Months	43,024	8.2	43,024	4.3	43,024	9.8	0	0.0 0.0
12 - 23 Months	27,169	5.4	27,169	2.1	27,169	15.7	0	0.0 0.0
24 - 59 Months	59,975	3.7	59,975	2.8	59,975	14.1	59,975	16.6 14.1
Total	130,168	5.5	130,168	3.1	130,168	13.0	59,975	16.6 14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 25
Run Date: 4 / 14 / 11

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	3,272	12.9	6 - 11 Months	330	13.3
12 - 17 Months	8,097	11.5	12 - 17 Months	813	9.7
18 - 23 Months	6,459	7.4	18 - 23 Months	742	11.6
24 - 35 Months	9,902	6.0	24 - 35 Months	1,068	10.0
36 - 59 Months	14,757	3.8	36 - 59 Months	1,741	6.4
Total	42,487	7.0	Total	4,694	9.1
Black, Not Hispanic			Multiple Races		
6 - 11 Months	1,182	23.0	6 - 11 Months	356	19.1
12 - 17 Months	3,259	24.4	12 - 17 Months	994	17.5
18 - 23 Months	2,554	24.7	18 - 23 Months	750	12.0
24 - 35 Months	4,107	20.5	24 - 35 Months	1,240	10.1
36 - 59 Months	6,127	14.2	36 - 59 Months	1,917	6.4
Total	17,229	19.8	Total	5,257	11.0
Hispanic			All Other/Unknown		
6 - 11 Months	1,477	14.8	6 - 11 Months	0	*
12 - 17 Months	4,507	14.0	12 - 17 Months	0	*
18 - 23 Months	3,613	10.8	18 - 23 Months	0	*
24 - 35 Months	6,047	7.3	24 - 35 Months	0	*
36 - 59 Months	9,766	4.7	36 - 59 Months	2	*
Total	25,410	8.4	Total	2	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	87	*	6 - 11 Months	6,704	15.5
12 - 17 Months	245	13.1	12 - 17 Months	17,915	14.7
18 - 23 Months	212	10.4	18 - 23 Months	14,330	11.9
24 - 35 Months	353	9.1	24 - 35 Months	22,717	9.4
36 - 59 Months	645	5.6	36 - 59 Months	34,955	6.2
Total	1,542	8.8	Total	96,621	10.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 26
Run Date: 4 / 14 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
White, Not Hispanic	2010	14,111	7.7	8.2	58,625	5.3	3.4	11.5	25,869	16.3	12.1	42,487	7.0
	2009	14,965	8.0	8.8	60,693	5.6	3.5	11.6	26,391	15.9	11.4	43,666	7.8
	2008	15,021	8.0	9.0	57,393	5.3	3.6	11.5	24,400	16.0	11.3	40,498	7.6
	2007	14,548	8.1	8.6	54,396	5.4	3.8	10.8	22,789	15.7	11.0	37,129	7.5
	2006	14,299	8.2	8.6	53,756	5.5	3.8	10.8	23,125	15.9	10.7	38,176	6.9
	2005	14,231	8.0	9.1	56,112	5.3	4.3	11.1	25,217	15.4	11.5	37,793	8.5
	2004	15,915	8.5	9.4	59,280	5.3	4.1	11.3	26,229	16.0	11.9	40,143	9.3
	2003	15,543	7.3	9.7	57,981	5.0	4.4	11.1	26,041	15.9	11.8	39,157	8.1
	2002	14,697	7.8	10.1	56,663	5.0	4.3	10.4	25,667	14.9	10.6	38,970	8.4
2001	15,042	7.8	10.2	55,794	5.2	4.5	10.3	24,906	14.0	10.4	37,577	9.5	
Black, Not Hispanic	2010	5,838	13.2	3.4	23,677	6.3	3.8	11.6	10,615	15.3	11.1	17,229	19.8
	2009	6,234	13.5	3.9	24,227	6.1	4.2	11.7	10,620	14.8	10.3	17,329	22.1
	2008	6,211	12.1	3.9	23,410	6.0	4.9	11.4	10,078	13.5	10.2	16,586	22.8
	2007	6,214	13.4	3.9	22,250	5.7	5.1	10.3	9,433	13.3	10.2	15,245	23.7
	2006	6,049	12.5	4.3	22,015	6.0	5.3	10.5	9,497	14.1	10.3	15,502	21.5
	2005	6,028	12.4	5.0	22,789	5.4	6.1	10.4	10,401	14.0	10.0	15,560	23.6
	2004	6,485	12.3	5.3	24,278	5.6	6.1	10.6	11,241	14.3	10.7	16,818	25.4
	2003	6,332	12.7	5.1	23,964	5.5	5.6	10.3	11,180	13.6	10.1	16,601	22.5
	2002	6,077	12.3	5.2	23,664	6.5	5.3	9.9	11,172	13.2	8.9	16,779	23.7
2001	6,302	12.0	5.4	24,070	6.4	5.6	9.8	11,281	12.9	8.2	16,980	23.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 27
Run Date: 4 / 14 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
Hispanic	2010	6,700	6.5	7.7	32,651	4.6	2.2	15.5	16,230	17.6	17.6	25,410	8.4
	2009	7,233	6.5	8.9	33,257	4.9	2.0	16.3	16,097	18.6	18.3	25,492	9.7
	2008	7,335	6.5	8.2	31,576	4.9	2.4	16.8	14,691	18.0	18.5	23,758	9.3
	2007	7,098	6.4	8.6	29,717	4.8	2.7	15.2	13,278	17.7	17.9	21,684	9.8
	2006	7,226	6.7	8.8	28,571	4.9	2.7	15.6	12,876	18.5	18.1	21,121	9.1
	2005	5,438	6.1	9.0	23,228	4.7	3.6	16.0	11,152	18.6	17.7	16,590	10.2
	2004	5,189	5.8	8.9	21,669	4.3	3.4	15.9	10,455	18.3	18.1	15,611	10.9
	2003	4,844	6.3	9.0	19,959	4.7	3.5	16.0	9,407	17.6	17.8	14,379	11.5
	2002	4,734	6.2	9.0	18,552	4.8	3.8	16.3	8,445	16.4	16.4	13,251	11.6
2001	4,659	6.1	9.8	17,169	4.9	3.9	15.1	7,648	17.5	15.5	11,899	11.1	
American Indian/Alaska Native	2010	440	5.0	13.9	2,032	4.3	2.4	23.0	1,029	21.3	27.1	1,542	8.8
	2009	452	3.8	12.6	2,153	3.4	2.9	21.4	1,114	20.9	24.8	1,659	8.3
	2008	423	5.2	12.3	2,188	3.2	2.6	21.0	1,103	21.0	24.1	1,738	7.4
	2007	497	4.8	11.7	2,320	3.2	2.5	19.7	1,102	22.5	21.4	1,757	6.1
	2006	573	6.6	12.7	2,397	3.4	2.4	20.1	1,119	21.9	21.0	1,796	7.1
	2005	656	6.6	16.5	2,716	3.4	2.7	18.6	1,318	21.9	19.3	1,832	7.6
	2004	678	4.7	14.3	2,836	3.5	3.2	19.2	1,361	22.6	20.5	1,971	8.0
	2003	608	5.9	17.3	2,674	4.0	2.1	19.8	1,246	20.0	19.2	1,900	8.2
	2002	635	4.6	13.5	2,666	3.7	2.4	18.3	1,286	19.1	18.0	1,822	10.2
2001	616	5.4	15.4	2,583	3.5	3.0	18.0	1,249	19.3	18.4	1,777	8.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 28
Run Date: 4 / 14 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
Asian/Pacific Islander	2010	1,318	8.2	2.5	6,056	10.4	3.0	14.6	2,930	17.2	17.0	4,694	9.1
	2009	1,378	6.0	3.6	5,965	10.2	2.8	14.6	2,817	18.8	16.6	4,471	11.2
	2008	1,337	7.6	3.3	5,549	10.4	2.8	14.5	2,595	17.2	16.2	4,119	9.2
	2007	1,293	7.0	3.3	5,258	10.5	2.8	13.5	2,398	17.3	15.6	3,825	9.6
	2006	1,240	6.8	4.2	5,340	11.8	3.2	13.8	2,531	16.0	15.1	4,073	10.8
	2005	1,232	7.5	3.7	5,312	12.3	3.8	13.0	2,544	16.9	15.8	3,743	13.1
	2004	1,279	7.3	4.7	5,209	11.8	3.6	13.5	2,537	17.1	15.8	3,710	13.7
	2003	1,143	6.7	4.5	4,803	9.2	3.4	15.2	2,409	17.8	18.3	3,410	13.3
	2002	1,057	8.4	5.0	4,877	9.9	3.5	15.4	2,420	17.4	18.4	3,595	13.8
	2001	1,159	6.1	4.5	5,159	9.3	3.7	14.7	2,646	17.6	18.2	3,701	11.5
Multiple Races	2010	1,685	9.2	7.4	7,126	5.1	3.0	14.3	3,301	16.9	15.4	5,257	11.0
	2009	1,712	7.3	8.8	7,088	4.6	2.9	14.2	3,235	18.5	13.8	5,203	10.5
	2008	1,613	9.1	8.4	6,639	4.5	3.3	14.6	2,994	16.8	13.0	4,895	10.2
	2007	1,512	9.0	8.6	6,121	4.6	3.3	13.1	2,628	17.3	12.3	4,352	10.7
	2006	1,652	7.7	7.4	6,053	5.2	3.7	13.2	2,473	16.1	13.1	4,289	10.0
	2005	376	10.4	8.2	1,076	5.4	4.3	14.2	343	14.3	12.5	723	9.3
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 29
Run Date: 4 / 14 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
All Other/Unknown	2010	0	*	*	1	*	*	*	1	*	*	2	*
	2009	0	*	*	6	*	*	*	6	*	*	12	*
	2008	0	*	*	14	*	*	*	14	*	*	25	*
	2007	0	*	*	9	*	*	*	8	*	*	14	*
	2006	0	*	*	416	5.0	3.4	14.2	46	*	*	88	*
	2005	490	11.0	8.6	1,520	7.6	5.2	9.8	435	12.9	11.5	796	11.2
	2004	1	*	*	3	*	*	*	2	*	*	2	*
	2003	1	*	*	3	*	*	*	1	*	*	1	*
	2002	1	*	*	7	*	*	*	3	*	*	3	*
	2001	4	*	*	21	*	*	*	11	*	*	18	*
Total All Race/Ethnic Groups	2010	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1	96,621	10.0
	2009	31,974	8.6	7.7	133,389	5.6	3.2	13.2	60,280	16.8	13.7	97,832	11.1
	2008	31,940	8.5	7.6	126,769	5.5	3.5	13.3	55,875	16.3	13.6	91,619	11.0
	2007	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
	2006	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
	2005	28,451	8.6	8.1	112,753	5.5	4.5	12.3	51,410	16.0	13.0	77,037	12.2
	2004	29,547	8.7	8.3	113,275	5.4	4.3	12.4	51,825	16.3	13.3	78,255	13.2
	2003	28,471	8.3	8.5	109,384	5.2	4.4	12.2	50,284	15.9	13.0	75,448	12.2
	2002	27,201	8.5	8.7	106,429	5.5	4.3	11.8	48,993	15.0	11.8	74,420	12.7
	2001	27,782	8.4	8.9	104,796	5.6	4.6	11.4	47,741	14.6	11.4	71,952	13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 30
Run Date: 4 / 14 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2010	14,122	71.3	6,377	28.9	8,677	12.9
	2009	14,991	69.2	6,744	27.5	9,131	12.7
	2008	15,057	66.0	6,543	27.0	8,782	11.2
	2007	14,556	64.2	6,392	26.3	8,261	11.0
	2006	14,311	63.9	5,711	25.4	7,654	12.5
	2005	14,228	60.9	5,173	23.8	8,523	15.5
	2004	14,658	60.7	6,085	23.8	9,201	15.7
	2003	15,434	59.8	5,742	24.0	8,704	14.4
	2002	14,598	57.6	5,820	23.1	8,763	15.1
	2001	14,943	56.9	5,649	24.3	8,683	15.0
Black, Not Hispanic	2010	5,867	53.2	2,387	12.9	3,654	4.9
	2009	6,240	52.2	2,393	14.9	3,770	5.8
	2008	6,222	50.4	2,447	13.4	3,810	5.8
	2007	6,197	48.0	2,225	15.6	3,514	6.2
	2006	6,027	47.2	2,230	12.9	3,272	7.2
	2005	5,917	44.8	1,920	13.5	3,401	9.8
	2004	5,921	43.6	2,223	14.9	3,655	10.7
	2003	6,305	43.0	2,175	15.1	3,558	9.6
	2002	6,054	37.9	2,248	13.5	3,662	8.8
	2001	6,284	35.1	2,217	12.5	3,731	8.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 31
Run Date: 4 / 14 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2010	6,725	81.1	3,387	34.9	4,977	19.1
	2009	7,265	79.3	3,608	39.4	5,175	21.8
	2008	7,334	78.6	3,503	40.2	5,002	21.0
	2007	7,124	78.7	3,575	37.8	4,953	20.6
	2006	7,274	76.8	3,289	39.0	4,374	20.6
	2005	5,483	76.8	2,201	36.5	3,780	24.3
	2004	4,837	77.5	2,166	38.0	3,518	22.6
	2003	4,831	76.3	1,970	35.0	3,303	21.8
	2002	4,712	72.3	1,935	32.8	3,159	21.7
	2001	4,646	70.6	1,773	32.9	2,794	20.8
American Indian/Alaska Native	2010	439	62.9	194	21.1	285	8.4
	2009	446	62.1	186	24.7	294	6.5
	2008	425	58.8	221	21.3	316	11.7
	2007	493	55.8	244	20.5	391	9.2
	2006	570	62.1	232	24.1	376	12.8
	2005	643	60.3	223	24.7	427	16.2
	2004	604	59.6	234	28.2	438	18.3
	2003	586	59.4	252	21.8	440	19.8
	2002	583	60.0	249	30.1	418	19.9
	2001	594	54.5	214	20.1	403	18.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)

Page: 32
Run Date: 4 / 14 / 11

Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2010	1,317	50.0	610	13.8	924	7.5
	2009	1,382	49.4	577	15.1	917	7.2
	2008	1,338	44.6	546	16.8	876	7.4
	2007	1,292	46.4	528	15.0	844	7.8
	2006	1,234	44.4	522	16.7	803	9.2
	2005	1,227	43.0	475	21.3	814	17.9
	2004	1,192	46.5	530	26.2	793	15.8
	2003	1,131	42.2	417	14.1	670	9.9
	2002	1,052	37.0	459	15.3	751	11.3
	2001	1,159	37.1	461	10.6	784	9.9
Multiple Races	2010	1,690	64.1	760	20.5	1,059	7.3
	2009	1,714	63.8	677	20.8	1,087	8.6
	2008	1,609	60.0	703	20.9	1,076	8.1
	2007	1,509	60.3	652	18.4	989	7.9
	2006	1,655	58.9	680	17.2	973	8.6
	2005	376	57.2	218	17.9	247	15.8
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 33
Run Date: 4 / 14 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2010	0	*	0	*	0	*
	2009	0	*	0	*	0	*
	2008	0	*	0	*	0	*
	2007	0	*	0	*	0	*
	2006	0	*	62	*	15	*
	2005	736	64.7	199	16.6	225	12.9
	2004	1	*	0	*	0	*
	2003	1	*	0	*	0	*
	2002	1	*	0	*	1	*
	2001	4	*	0	*	1	*
Total All Race/Ethnic Groups	2010	30,160	68.5	13,715	26.4	19,576	12.4
	2009	32,038	66.9	14,185	27.5	20,374	13.2
	2008	31,985	64.6	13,963	27.1	19,862	12.3
	2007	31,171	63.2	13,616	26.6	18,952	12.3
	2006	31,071	62.6	12,726	26.0	17,467	13.2
	2005	28,610	59.9	10,409	24.2	17,417	16.4
	2004	27,213	59.3	11,238	25.0	17,605	16.1
	2003	28,288	58.2	10,556	23.8	16,675	14.8
	2002	27,000	55.0	10,711	22.6	16,754	14.9
	2001	27,630	53.4	10,314	22.5	16,396	14.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 34
Run Date: 4 / 14 / 11

Summary of Trends in Growth Indicators by Age ⁽³⁾																		
Age and Year *		Height and Weight								Age and Year *		Height and Weight						
		Short Stature (4)		Under-weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)						Short Stature (4)		Under-weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%				Number	%	%	%	Number	%	%
		<5th	<5th	≥95th		85th-<95th	≥95th				<5th	<5th	≥ 95th		85th-<95th	≥95th		
0 - 11 Months										24 - 35 Months								
2010	43,024	8.2	4.3	9.8	0	*	*		2010	22,056	3.9	2.9	12.7	22,056	15.9	12.7		
2009	44,493	8.0	4.4	10.0	0	*	*		2009	22,534	4.2	2.9	12.1	22,534	16.3	12.1		
2008	43,214	7.5	4.9	10.5	0	*	*		2008	21,266	4.2	2.9	12.2	21,266	15.7	12.2		
2007	42,270	7.2	5.3	9.2	0	*	*		2007	19,319	4.2	3.2	11.7	19,319	15.6	11.7		
2006	42,479	7.5	5.5	9.7	0	*	*		2006	19,223	4.4	3.0	11.7	19,223	16.0	11.7		
2005	34,813	7.4	8.0	8.4	0	*	*		2005	18,912	4.3	3.4	11.5	18,912	15.6	11.5		
2004	35,031	7.6	7.4	8.1	0	*	*		2004	18,993	4.1	3.2	11.3	18,993	15.8	11.3		
2003	34,087	7.3	6.9	8.2	0	*	*		2003	18,447	3.7	3.7	11.5	18,447	15.5	11.5		
2002	32,759	7.6	6.4	8.8	0	*	*		2002	18,003	3.8	4.2	10.5	18,003	13.8	10.5		
2001	32,739	8.1	6.6	8.9	0	*	*		2001	17,642	3.5	4.5	9.8	17,642	13.4	9.8		
12 - 23 Months										36 - 47 Months								
2010	27,169	5.4	2.1	15.7	0	*	*		2010	19,466	3.7	2.8	14.0	19,466	16.5	14.0		
2009	28,616	5.6	1.8	17.0	0	*	*		2009	19,623	3.7	2.8	14.1	19,623	16.5	14.1		
2008	27,680	5.6	2.0	16.9	0	*	*		2008	17,663	3.9	3.2	13.8	17,663	16.5	13.8		
2007	26,165	5.4	2.1	15.4	0	*	*		2007	16,798	4.0	3.3	13.8	16,798	16.2	13.8		
2006	24,402	5.7	2.1	15.5	0	*	*		2006	16,557	4.4	3.3	13.2	16,557	16.5	13.2		
2005	26,530	5.9	2.1	16.0	0	*	*		2005	16,587	4.1	3.4	13.5	16,587	15.7	13.5		
2004	26,419	5.4	2.2	16.1	0	*	*		2004	16,748	3.9	3.5	14.3	16,748	16.1	14.3		
2003	25,013	5.4	2.4	16.0	0	*	*		2003	16,353	3.9	4.0	13.6	16,353	15.7	13.6		
2002	24,677	5.9	2.4	15.6	0	*	*		2002	15,852	4.1	4.2	12.2	15,852	15.1	12.2		
2001	24,316	5.8	2.5	14.9	0	*	*		2001	15,447	3.8	4.5	11.6	15,447	14.8	11.6		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 35
Run Date: 4 / 14 / 11

Summary of Trends in Growth Indicators by Age ⁽³⁾									
Age and Year *	Height and Weight								
	Short Stature (4)				Under- weight (5) Obese (5)				
	≥ 2 Yrs Overweight (5)								
	Number	%	%	%	Number	%	%	%	
	<5th	<5th	<5th	>95th	85th-<95th	>95th	>95th	>95th	
48 - 59 Months									
2010	18,453	3.3	2.6	15.7	18,453	17.6	15.7		
2009	18,123	3.6	3.0	15.2	18,123	17.7	15.2		
2008	16,946	3.6	3.0	15.1	16,946	16.7	15.1		
2007	15,519	3.8	2.9	14.2	15,519	16.5	14.2		
2006	15,887	3.8	3.0	14.5	15,887	16.7	14.5		
2005	15,911	3.7	3.3	14.2	15,911	16.9	14.2		
2004	16,084	3.8	3.3	14.7	16,084	17.2	14.7		
2003	15,484	3.6	3.3	14.3	15,484	16.6	14.3		
2002	15,138	3.7	3.4	13.0	15,138	16.4	13.0		
2001	14,652	3.8	3.9	13.0	14,652	16.0	13.0		
Total All Age Groups									
2010	130,168	5.5	3.1	13.0	59,975	16.6	14.1		
2009	133,389	5.6	3.2	13.2	60,280	16.8	13.7		
2008	126,769	5.5	3.5	13.3	55,875	16.3	13.6		
2007	120,071	5.4	3.7	12.2	51,636	16.1	13.1		
2006	118,548	5.7	3.8	12.4	51,667	16.3	13.0		
2005	112,753	5.5	4.5	12.3	51,410	16.0	13.0		
2004	113,275	5.4	4.3	12.4	51,825	16.3	13.3		
2003	109,384	5.2	4.4	12.2	50,284	15.9	13.0		
2002	106,429	5.5	4.3	11.8	48,993	15.0	11.8		
2001	104,796	5.6	4.6	11.4	47,741	14.6	11.4		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 36
Run Date: 4 / 14 / 11

Summary of Trends in Anemia by Age (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
6 - 11 Months				18 - 23 Months		
	2010	6,704	15.5		2010	14,330 11.9
	2009	6,234	16.2		2009	15,134 12.9
	2008	5,410	16.2		2008	14,367 12.5
	2007	3,416	15.8		2007	13,253 12.8
	2006	6,956	16.2		2006	12,474 12.1
	2005	5,354	16.1		2005	11,613 13.8
	2004	5,135	16.9		2004	11,660 15.1
	2003	5,357	16.1		2003	11,332 14.3
	2002	5,411	15.4		2002	11,117 15.0
	2001	4,964	16.5		2001	10,697 15.6
12 - 17 Months				24 - 35 Months		
	2010	17,915	14.7		2010	22,717 9.4
	2009	18,508	16.7		2009	23,482 10.5
	2008	18,196	16.8		2008	21,905 10.2
	2007	17,937	16.8		2007	19,796 11.0
	2006	16,217	15.5		2006	19,862 9.8
	2005	15,972	16.1		2005	16,657 12.5
	2004	16,255	17.2		2004	16,750 13.8
	2003	15,184	15.4		2003	16,205 12.7
	2002	15,081	15.6		2002	16,010 13.9
	2001	14,814	16.2		2001	15,688 13.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 37
Run Date: 4 / 14 / 11

Summary of Trends in Anemia by Age (3)								
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anemia Low Hb/Hct (4)	
		Number	%		Number	%		
36 - 59 Months					Total All Age Groups			
	2010	34,955	6.2			2010	96,621	10.0
	2009	34,474	6.8			2009	97,832	11.1
	2008	31,741	6.6			2008	91,619	11.0
	2007	29,604	6.9			2007	84,006	11.3
	2006	29,536	6.1			2006	85,045	10.4
	2005	27,441	8.2			2005	77,037	12.2
	2004	28,455	9.2			2004	78,255	13.2
	2003	27,370	8.4			2003	75,448	12.2
	2002	26,801	8.9			2002	74,420	12.7
	2001	25,789	9.1			2001	71,952	13.0
All Other/Unknown								
	2010	0	*					
	2009	0	*					
	2008	0	*					
	2007	0	*					
	2006	0	*					
	2005	0	*					
	2004	0	*					
	2003	0	*					
	2002	0	*					
	2001	0	*					

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

